

ACCORDING TO - GUV-R 108 AND DIN EN 15288-1 -IN CASE OF ELEVATED WATER LEVEL THE POOL EDGE AND OVERFLOW EDGE MUST BE CLEARLY VISIBLE! IN CONFORMITY WITH DIN 19 643-1, TREATMENT OF SWIMMING AND BATHING POOL WATER: - OVERFLOW CHANNEL AT ALL SIDES OF THE POOL - MAXIMAL LEVEL DIFFERENCE ± 2 mm

(52i-38110H) 701i-18120H 701i-18120H (91i-38110H) Shape and dimension of the incision made for fastening/anchoring the sealing medium have to be checked by the construction planner. He also has to arrange for its execution 701i-18120H (91i-38110H) 701i-18120H (91i-38110H) 701i-34126H 4. Шовная лента, профиль 5. Скользящая опора 6. Решетка Agrob Buchtal 701i-18120H

Detail of Pool Edge S.: 1:5

1. Силикон производства фирмы «PCI» Silcoferm.

2. Разделительная лента производства фирмы «PCI» 3. Водоупорный эластичный наполнительный материал

7. Капиллярная запорная масса производства "РСІ" 8. Бетон с высоким сопротивлением проникновению воды

9. Обычный тонкослойный цементный слой вместе с Специальные склеивающие суспензии PCI Repahaft 10. Тонкослойный цементный слой на цементной штукатурке 11. Изоляция многослойная производства «PCI" Seccoral

12. Уплотнительная лента производства "PCI" Pecitape 13. Шумопоглощающий слив Agrob Buchtal Silent W 2000

14. Шумопоглощающий слив Agrob Buchtal Silent 100

15. Затирка для бассейнов производства PCI 16. Керамическая получаша Agrob Buchtal

17. Водоприемный «ящик» с водоотводной трубой и фланцевым уплотнительным.



Note of release:

Place, date

This plan is just a recommendation and must only be used after release by the planner / architect commissioned by the building owner or approval by the direction of works authorised by the building owner!

AGROB BUCHTAL GmbH expressly excludes liability for all kinds of damages which may result from the plans!

Without corresponding release the documents are used on the own responsibility and at the sole risk of the executive of construction works.

This plan has been examined, found correct and released for execution:

St. Petersburg

Stamp and signature

- - - - - statical movement joints / joints in the structure

- - - - - additional movement joints in the ceramic covering

Movement joints are to be positioned according to statical requirements and local conditions or in accordance with the instructions of the architect or responsible resident engineer. All movement joints, additional expansion joints in the covering etc., which are shown in drawings from the service for architects, shall be regard as recommendations only.

Our suggested methods of sealing are given for guidance only. Binding instructions must be given by the architect or supervision of construction.

We recommend to use epoxy resin for filling the joints in the whole

pool head area, including channel. In case of chemical stresses caused by salt-, sea or thermal water, the entire pool should be jointed with epoxy resin.

It is absolutely necessary to follow the processing instructions given by the manufacturer / supplier.

The currently valid FINA rules as well as the regulations of the country in question

have to be observed. Number and position of channel outlets are to be fixed by the expert planner.

Our instructions concerning the cleaning of ceramic coverings have strictly to be observed.

The colour representation in this plan is non-binding and may partly considerably differ in reality!

Building Project: Swimming Pool 25,0 x 11,0 m Plan, Sections + Detail

Head of team: 4 M. Grüner

All recommendations regarding the application and the technical use of our own products or of products manufactured by third parties are given without any engagement. The selection of materials and their technical use are incumbent on the purchaser or his customer (executives or construction works, planners / architects commissioned by the building owner and direction of works). The technical regulations (e.g. standards, codes of practice, product information etc.) have to be observed. We assume liability only for our products and refer to our General Terms of Sale and

Delivery to which our liability conforms. This drawing is protected by copyright. It must not be duplicated or made accessible to third parties without our consent.

DEUTSCHE AGROB BUCHTAL

H/B = 627 / 1304 (0.82m²)